



The Brightest Choice of Networking & Communication

## Thermal Transfer Ribbons Outside Coating

- Standard Wax
- Premium Wax
- Wax + Resin
- Resin
- Near Edge Wax Resin
- Wash Care Resin



Our BayLan Thermal Transfer Ribbon is available for BayLan, TSC, Panasonic, Zebra, Brother & Other Brand Barcode Label Printer

### Standard / Premium Wax

Wax ribbons belong to the most economic quality group and have been designed especially for applications using low printing energy. They have been developed mainly for paper labels where excellent results are achieved even on rough surfaces.

### Wax + Resin

The formula of Wax Resin ribbon is based on wax and resin. They are applied at medium printing energy. Ribbons guarantee accurate and detailed prints on smooth surfaces and are suitable for plastic labels. Compared with wax ribbons the abrasion and scratch resistance is much higher.

### Near-Edge Wax Resin

Near Edge Thermal Transfer ribbons for Tag/Label & Flexible Packaging Application feature fast ink released and high speed printing capabilities with excellent compatibility in TSC, Toshiba, Novexx, Markem, & Video Platform. Prints

Specifications are subject to change without prior notice with advancement in technology.

[www.baylan.com](http://www.baylan.com)



The Brightest Choice of Networking & Communication

(a) Exceptionally black images with no show-through. (b) Print on wide range of Paper & Film Label Stock. (c) Wax/Resin Formula provides good resistance Resin Ribbons have been designed for smooth plastic surfaces.

### **Resin**

Resin Ribbons have been designed for smooth plastic surfaces and accurate printing results with high durability and are applied at high printing energy. They are particularly abrasion resistant, scratch resistant and also resistant gasoline, alcohol and some solvents.

### **Wash-Care**

The Wash Care Ribbon is acclaimed for providing Excellent Print Contrasts in visible light and infrared radiation. Our Manufactured wash care ribbon is capable of producing very sharp graphics and text. The Wash Care Ribbon is prepared using most modern & Sophisticated Technology.

### **FEATURES:**

- **High-speed printing:** High speed printing suitable for Markem, domino etc. paper and film packing materials, clear and economic. It has head-protection, printing range is wide. Including film label. It is scratch-resistant.
- **Substrates:** paper soft plastic, rigid plastic (PP, PET, PE, PVC). combined films, Multi film, coated & uncoated paper.
- Prints at high speeds (12 IPS) delivering crisp, rotated bar codes
- Low temperature, good steam resistance, No pollution etc.
- Temperature range: 90-160°C

### **APPLICATIONS:**

- **Common environment:** (Carton label, Price label, Clothes label).
- **Outdoor:** Transportation, Production ideal for shipping labels, retail horticulture labels.
- **Product label:** Film label combined paper PET, PVC, Cloth label, fabric, warning labels, blood bags, drum labels, poly bags and machinery part labels.

---

Specifications are subject to change without prior notice with advancement in technology.

[www.baylan.com](http://www.baylan.com)



The Brightest Choice of Networking & Communication

ComCode	Product ID	Width	Length	Color	Film Face	Core Inch
<b>Premium Wax</b>						
002667	BRPWO1174450	174mm	450Mtr	Black	Outside	1.0"
001867	BRPWO1110450	110mm	450Mtr	Black	Outside	1.0"
001865	BRPWO1110300	110mm	300Mtr	Black	Outside	1.0"
002608	BRPWO1110300B	110mm	300Mtr	Blue	Outside	1.0"
002607	BRPWO1110300R	110mm	300Mtr	Red	Outside	1.0"
002872	BRPWO1110300G	110mm	300Mtr	Green	Outside	1.0"
002873	BRPWO1110300Y	110mm	300Mtr	Yellow	Outside	1.0"
001868	BRPWOH110074S	110mm	74Mtr	Black	Outside	0.5"
002912	BRPWOH110074SB	110mm	74Mtr	Blue	Outside	0.5"
002874	BRPWO1110074SB	110mm	74Mtr	Blue	Outside	1.0"
002913	BRPWOH110074SR	110mm	74Mtr	Red	Outside	0.5"
002875	BRPWO1110074SR	110mm	74Mtr	Red	Outside	1.0"
002914	BRPWOH110074SG	110mm	74Mtr	Green	Outside	0.5"
002915	BRPWOH110030W	110mm	30Mtr	White	Outside	1.0"
002007	BRPWOM105600	105mm	600Mtr	Black	Outside	1.0"
001925	BRPWO1095300	95mm	300Mtr	Black	Outside	1.0"
001927	BRPWO1085300F	85mm Centre (110mm Core)	300Mtr	Black	Outside	1.0"
002837	BRPWO1085300	85mm Centre	300Mtr	Black	Outside	1.0"
002610	BRPWOH064074SF	64mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
001924	BRPWO1060450	60mm	450Mtr	Black	Outside	1.0"
001866	BRPWO1060300	60mm	300Mtr	Black	Outside	1.0"
001926	BRPWOH057074SF	57mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
002005	BRPWOH057074S	57mm	74Mtr	Black	Outside	0.5"
002006	BRPWOM045600	45mm	600Mtr	Black	Outside	1.0"
002003	BRPWO1043300F	43mm Centre (110mm Core)	300Mtr	Black	Outside	1.0"
002004	BRPWOH043074SF	43mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
<p>More Categories (check Page 4)</p> <ul style="list-style-type: none"> <li>- Standard Wax</li> <li>- Near Edge Wax Resin</li> <li>- Wash Care Resin</li> <li>- Wax Resin</li> <li>- Resin</li> </ul>						

Specifications are subject to change without prior notice with advancement in technology.



The Brightest Choice of Networking & Communication

ComCode	Product ID	Width	Length	Color	Film Face	Core Inch
<b>Standard Wax</b>						
002478	BRSWO1110450	110mm	450Mtr	Black	Outside	1.0"
002477	BRSWO1110300	110mm	300Mtr	Black	Outside	1.0"
<b>Wax Resin</b>						
002386	BRWRO1110300	110mm	300Mtr	Black	Outside	1.0"
002385	BRWROH064074SF	64mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
002384	BRWROH043074SF	43mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
<b>Near Edge Wax Resin</b>						
002876	BRWRO1110300NE	110mm	300Mtr	Black	Outside	1.0"
<b>Resin</b>						
002216	BRPRO1110300	110mm	300Mtr	Black	Outside	1.0"
002441	BRPROH110074S	110mm	74Mtr	Black	Outside	0.5"
002218	BRPROH064074SF	64mm Centre (110mm Core)	74Mtr	Black	Outside	0.5"
002879	BRPROH064074S	64mm	74Mtr	Black	Outside	0.5"
002760	BRPRO1043300	43mm	300Mtr	Black	Outside	1"
002217	BRPROH043074SF	43mm	74Mtr	Black	Outside	0.5"
<b>Wash Care Resin</b>						
002877	BRWRO1110300WC	110mm	300Mtr	Black	Outside	1.0"
002929	BRWRO1110030WC	110mm	30Mtr	Black	Outside	1.0"
002930	BRWRO1110015WCB	110mm	15Mtr	Blue	Outside	1.0"

Specifications are subject to change without prior notice with advancement in technology.

[www.baylan.com](http://www.baylan.com)